

Preventive Services Guide

Effective January 1, 2022

Ambetter Preventive Care Services

Preventive care services can help you take charge of your health so you and your primary care provider (PCP) can catch problems before they start. These services include checkups, tests and screenings based on your age, weight or medical history.

See the charts on the following pages for the preventive services included in your Ambetter health plan. At your annual wellness exam, ask your PCP if you need any screenings or tests. Together, you and your PCP can stay updated about any changes in your health.

If you have any questions, talk to your doctor. Or you can call us at the toll-free number listed on the back of your Ambetter ID card.

Ambetter Preventive Services Charts

- 1. Adult Preventive Services
- 2. Women's Preventive Services
- 3. Children's Preventive Services

BENEFIT CONSIDERATIONS

Before using this guideline, please check your member specific benefit plan document and any federal or state mandates, if applicable. *Note: This is an overall guide to preventive care, but not all-inclusive.*

Throughout this document the following acronyms are used:

- USPSTF: United States Preventive Services Task Force
- PPACA: Patient Protection and Affordable Care Act of 2010
- ACIP: Advisory Committee on Immunization Practices
- HHS: Health and Human Services
- HRSA: Health Resources and Services Administration

Ambetter's Preventive Services Guidelines

Preventive services include a broad range of benefits (including screening tests, counseling, and immunizations/vaccines). The federal Patient Protection and Affordable Care Act (PPACA) requires non-grandfathered health plans to cover preventive care services, when provided by network providers, without cost sharing to members. Preventive care services include: evidence based items or services that have in effect a rating of "A" or "B" in the current recommendations of the USPSTF, immunizations for routine use in children, adolescents and adults that have in effect a recommendation from the ACIP, with respect to infants, children and adolescents, evidence-informed preventive care and screenings provided for in the comprehensive guidelines supported by the HRSA and with respect to women, such additional preventive care and screenings as provided for in comprehensive guidelines supported by the HRSA.

To support your efforts and continuously improve the satisfaction of our members, we have adopted national practice parameters for disease management. Our goal in adopting national parameters is to help our members attain optimal quality of life. The parameters are provided to physicians for use as guidelines to assist them in clinical decision-making, and are not intended to be rigid standards.

Adult Preventive Services

All members: Annual wellness exams; all routine immunizations and vaccines recommended by the Advisory Committee on Immunization Practices of the Centers for Disease Control and Prevention (CDC).

All members at an appropriate age and/or risk status: Counseling and/or screening for: colorectal cancer; elevated cholesterol and lipids; certain sexually transmitted diseases; HIV; depression; high blood pressure; diabetes. Screening and counseling for alcohol abuse in a primary care setting; tobacco use; obesity; diet and nutrition.

Men's health: Intervention services as part of a full physical exam or periodic check-up for the purpose of education or counseling on potential health concerns, including smoking cessation counseling. Screening for prostate cancer for men age 40 and older; screening for abdominal aortic aneurysm in men 65-75 years old (USPSTF recommends this for males 65-75 years old who have smoked).

Routine Checkups ¹	18-29 years	30-39 years	40-49 years	50-64 years	65+ years
Wellness Exam includes personal	Annually for ages 18-	oo oo years		00 04 years	
history; blood pressure; body mass	21				
index (BMI); physical exam; preventive				A	nnually
screening; and counseling	Every 1–3 years, depending on risk factors				
Cancer Screenings ¹	18-29 years	30-39 years	40-49 years	50-64 years	65+ years
Sancer Screenings	10-23 years	30-33 years	40-43 years		and women age 50-75 for
					ectal cancer
				Fecal occult blood to	est/fecal immunochemical
Colorectal Cancer Screening				The state of the s	I DNA testing (Cologuard)
					y 3 years; oscopy every 5 years; or
					by every 10 years
	_				<u> </u>
	Patients at high risk for colorectal cancer due to family history or physical factors				ors
Skin Cancer Screening		ims every 3 years at the	Annual total skin exar	n at discretion of your	healthcare provider
-	discretion of your	healthcare provider	lnical breast exam and month	ly solf over	
Breast Cancer Screening (Women)			overed once per year. High ri	•	-un mammograms may
		Warminograms are se	require an additiona		up mammogramo may
Cervical Cancer Screening (Women)	Initial pap test every	3 years beginning at age	21; if 30 years or older, either	er a pap every 3 years	alone or every 5
Cervical Calicer Screening (Wornerly			illomavirus (hrHPV) testing a		with hrHPV testing in
	combination with	Pap (cotesting). Women	65 years and older may stop	o screening.	
Testicular and Prostate Cancer (Men)		Clinical testicular exam a	ւլ each health maintenance v	isit and monthly self-e	yam
Other Recommended Screenings ¹	18-29 years	30-39 years	40-49 years	50-64 years	65+ years
Body Mass Index (BMI)		At the discretion of your	healthcare provider in additi	on to your wellness ex	am
Body Mass Index (BIVII)	(can be scree	ened annually for overwei	ght and eating disorders, co	nsult the CDC's growt	,
Aladaminal Aantia Anaromana					Men between the ages of
Abdominal Aortic Aneurysm					65 to 75 that have ever smoked
Blood Pressure (Hypertension)		At every acute/nonacut	te medical encounter and at I	east once every 2 yea	
Cholesterol Screening	E		n at discretion of your health		
Diabetes Screening (Type 2)			Screening in adults aged 3	35 - 70 who are overw	eight or obese
			Consider your risk factors, discuss with your		
			healthcare provider BMD		
Bone Mass Density (BMD) Test			testing for all post-	BMD test once, or m	ore often at the discretion
(Women)			menopausal women who	of your hea	althcare provider
			have one or more risk		
			factors for osteoporosis fractures		
Hepatitis B Virus Infection Screening		Nonpregnant tee	ns and adults who have a hi	gh risk for infection	
Infectious Disease Screening ¹	18-29 years	30-39 years	40-49 years	50-con4 years	65+ years
Sexually Transmitted Infections	Annual screenings for sexually active patients under 25; annually for patients age 25 and over if at risk. HPV is for				
(Chlamydia, Gonorrhea, Syphilis, and HPV 3)		age 26 and	d under, if not previously vac	cinated.	
Tuberculosis screening: adults	Screenings recommended for latent tuberculosis infection in persons who are at increased risk for infection				
Immunizations ^{1, 2, 4, 5}	18-29 years	30-39 years	40-49 years	50-64 years	65+ years
Influenza Vaccine (Flu)	re 10 years	co co youro	Annually	00 01 youro	oor youro
(4.12)	Ages 19+· Tda	n vaccines once <i>(can sub</i>	ostitute 1-time dose for Td bo	oster) then boost with	Td every 10 years
Tetanus, Diphtheria, Pertussis	•	•	it getting a Tdap vaccine dur	* *	, ,
(TD/Tdap)			aby from whooping cough (p		
Varicella Vaccine (Chicken Pox)			no have not received the vac		•
	3 doses may be		exually active patients under 2		•
	administered to both males and females		under, if not previously vaccina fit of HPV vaccination in this		
Human Papillomavirus (HPV)	ages 19-26 with	•	ended because some person	•	
	discretion from your	sixing to roominit	benef	•	, rassatoa migni
	healthcare provider			1	
Shingles Vaccine				50 yea	rs and older
Pneumococcal 13-Valent		1 time dose	prior to age 65		1 dose 65> if no evidence
Conjugate (PCV13)			· -		of prior immunization
Pneumococcal Polysaccharide (PPSV23)		1 or 2 doses pri	ior to age 65		1 dose 65> if no evidence
Meningococcal Vaccine	1 000	nore doses if not provious	sly immunized depending or	risk factors and other	of prior immunization
Hepatitis A Vaccine	1 or more doses if not previously immunized, depending on risk factors and other indicator 2 doses if risk factors are present (if you did not get as a child)				
Hepatitis B Vaccine	3 doses if risk factors are present (if you did not get as a child)				
	(Pregnant women beginning at first prenatal visit. Consult with your healthcare provider) 1 or 3 doses if risk factors are present				
Haemophilus Influenza Type B (Hib)	1 or 2 doese for as		ory of infection or previous	esent	
Measles, Mumps, Rubella (MMR)	I OI Z GOSES IOI ac	immunization	by or interdiction previous		
	•			•	

Women's Preventive Services

Screenings for women's health, including pregnancy-related preventive services, include: well-woman visits, including preconception counseling and prenatal care, Pap tests and any cervical cancer screening tests including human papillomavirus (HPV), contraceptive methods and counseling, and screening and counseling for interpersonal and domestic violence.

Routine Checkups ¹	18-29 years	30-39 years	40-49 years	50-64 years	65+ years
Wellness Exam includes personal history;	Annually for ages				
blood pressure; body mass index (BMI);	18-21			Annually	Annually
physical exam; preventive screening; and counseling	Every 1-3 years, depending on		factors	7 till daily	Aillually
Routine Screenings ¹	18-29 years	30-39 years	40-49 years	50-64 years	65+ years
Anemia Screening	Pregnant Women				
Cervical Cancer Screening (Women)	Initial pap test every 3 years beginning at age 21; if 30 years or older, either a Pap every 3 years alone or every 5 years screening with high-risk human papillomavirus (hrHPV) testing alone or every 5 years with hrHPV testing in combination with Pap (cotesting). Women 65 years and older may stop screening.				
FDA Approved Contraceptive Methods and Counseling	As prescribed by a healthcare provider for women with reproductive capability				
Colorectal Cancer Screening				Screening for men and colorecta Fecal occult blood test, test annually; or fecal D every 3 or flexible sigmoidosc colonoscopy e	al cancer fecal immunochemical NA testing (Cologuard) years; opy every 5 years; or
	Patients	at high risk for colorecta	l cancer – 1 screening eve	ery 2 years	
Gestational Diabetes Screening	For women 24	weeks pregnant or late			
Skin Cancer Screening	Periodic total skin exams every 3 years at discretion of your healthcare provider Annual total skin exam at discretion of your healthcare provider			Ithcare provider	
Breast Cancer Screening	Annual clinical breast exam and monthly self-exam				
Broast Garlosi Gorosimig	Mammograms are covered once per year. High risk or necessary follor require an additional annual visit.**				up mammograms may
Domestic and Interpersonal Violence Screening and Counseling	Recommended for all women with a routine screening and counseling by a network provider				
Breast Feeding and Post-Partum Counseling, Equipment and Supplies	For women as part of pre/post-natal counseling for pregnant women, with rental or purchase of certain breast feeding equipment through approved vendors				
Screening for Anxiety	Screening for anxiety in adolescent and adult women, including those pregnant or postpartum (clinical judgement should be used to determine screening frequency)			linical judgement	
Other Recommended Screenings ¹	18-29 years	30-39 years	40-49 years	50-64 years	65+ years
Body Mass Index (BMI)			nealthcare provider in addi ht and eating disorders, c		
Blood Pressure (Hypertension)	At every acute/nonacute medical encounter and at least once every 2 years				
Cholesterol Screening			lipid disorders if at increas		
Diabetes Screening (Type 2)	Screenings every 5 years or more at age 45 and older as healthcare provider suggest Screening in adults aged 35 - 70 who are overweight or obese				
Bone Mass Density (BMD) Test (Women)			Consider your risk factors, discuss with your healthcare provider. BMD testing for all postmenopausal women who have one or more risk factors for osteoporosis fractures	BMD test once, or m discretion of your he	
Infectious Disease Screening ¹	18-29 years	30-39 years	40-49 years	50-64 years	65+ years
Sexually Transmitted Infections (Chlamydia, Gonomhea, Syphilis, and HPV 3)	Annual screenings for sexually active patients under 25; annually for patients age 25 and over if at risk. HPV is for age 26 and under, if not previously vaccinated.				
Hepatitis B	(Pregr		tors are present (if you did t first prenatal visit. Consu		ovider)

Children's Preventive Services

Includes annual well child visits, screening newborns for hearing problems, thyroid disease, phenylketonuria, sickle cell anemia, and standard metabolic screening panel for inherited enzyme deficiency diseases. Counseling for fluoride for

prevention of dental cavities; screening for major depressive disorders; vision; lead; tuberculosis; developmental/autism; counseling for obesity.

Screening Tests ¹	0–1 year (Infancy)	1–4 years (Early Childhood)	5–11 years (Middle Childhood)	12–17 years (Adolescence)	
Well Baby Visits and Care (including cholesterol screening, height, weight, developmental milestones, and BMI)	Ages 1-2 weeks; and 1, 2, 4, 6, 9, and 12 months. Assess breastfeeding infants between 3–5 days of age	Ages 15, 18, and 24 months; and 3 and 4 years	Annually	Annually	
Anemia	Once between ages 9-12 months	As needed at the discretion of your healthcare provider		Starting at age 12, screen all non- pregnant adolescents for anemia every 5-10 years during well visit. Annually screen for anemia if at high risk	
Blood Test for Lead	Initial screening between ages 9-12 months	Annually at ages 2 and 3 years, and again at 4 years if in areas of high risk	If never screened, prior to entry to kindergarten		
Urinalysis			Once at age 5 at the discretion of your healthcare provider		
Blood Pressure			Annually beginning at a	ge 3	
Hearing	Assess prior to discharge, or	Audiome	etry at ages 4, 5, 6, 8, 10,	12, 15, and 17	
Vision	by 1 month Assess prior to discharge, and by 6 months			17 screen for strabismus (lazy eye)	
Pap Smear (Females)	•		<u> </u>	Per ACS every 3 yrs. beginning at age 21 or as recommended by practitioner for abnormal findings	
Chlamydia screening				If sexually active and < 24	
Tests for Sexually Transmitted	Annual screenings	for sexually active patients unde	r 25; annually for patients	age 25 and over if at risk.	
Diseases		HPV is for age 26 and under	, if not previously vaccina	ted	
Testicular Exam (Males)				Clinical exam and self-exam instruction annually beginning at age 15	
Congenital Hypothyroidism Screening	Newborns				
Critical Congenital Heart Disease Screening	Newborns before discharge from hospital				
Cholesterol/Lipid Disorders Screening	At-risk children 2-8 At-risk from 9 -11		At-risk from 9 -11	At-risk adolescents 12-18	
Tuberculin Test		Children and add	olescents at risk		
Routine Eye Exam for Children		1 visit a	nnually		
Depression				Ages 11 - 17	
Immunizations ^{1, 2, 4, 5}	0–1 year	1–4 years	5–11 years	12–17 years	
	(Infancy)	(Early Childhood)	(Middle Childhood)	(Adolescence) and high-risk children over 24 months	
Hepatitis A Hepatitis B	2 doses routinely recommended at birth and	1 doses 6–18 months	ided at 12-24 monuis, at	id nigri-risk Children Over 24 months	
Diphtheria, Tetanus, Pertussis (DTaP) Tetanus, Diphtheria, and Acellular Pertussis (Tdap) [Note: replaces Tetanus Diphtheria (Td)]	ages 1–2 months 3 doses of DTaP routinely recommended at ages 2, 4, and 6 months	1 dose at 15–18 months	1 dose between 4–6 years	1 dose of Tdap between ages 7-10 instead of Td vaccine if you do not know if your child has received these; also between ages 13–18 years who missed Td booster at 11–12	
Polio Vaccine	2 doses routinely recommended at ages 2 and 4 months	1 dose recommended between 6–18 months	1 dose between 4–6 years		
Haemophilus (Hib)	3 doses routinely recommended at ages 2, 4, and 6 months	1 dose between 12–15 months			
Measles, Mumps,		1 dose routinely recommended			
Rubella (MMR) Varicella Vaccine (Chicken Pox)		between 12–15 months 1 dose routinely recommended between 12–15 months	years 1 dose between 4–6 years		
Pneumococcal Vaccine	3 doses routinely recommended at ages 2, 4, and 6 months	1 dose between 12–15 months	years		
Meningococcal Vaccine		Certain high-risk group only. As needed at discretion of your healthcare provider		dose between ages 11–12 years; 1 dose at high school or college entry if not previously vaccinated	

Human Papillomavirus (HPV)		3 doses between ages 11–12 years for males and females; Any dose not administered at the recommended age, should be administered at a subsequent visit	
Influenza Vaccine (Flu)	Annually for children 6 months of age and older		
Rotavirus	3 doses at 2, 4, and 6 months		

- 1 Ambetter will cover additional preventive benefits when required by the state.
- ² Some immunizations are indicated for certain conditions, discuss with your provider what routine preventive care and immunizations are best for you.
- ³ HPV is for age 26 and under if not previously vaccinated.
- 4 Ambetter covers vaccines under the preventive service benefit, without cost sharing, when services are rendered by an in-network provider and/or pharmacy who administers these vaccines.
- ⁵ Routine recommendation ask your primary care provider (PCP) about immunizations you may need.

Coverage Limitations and Exclusions

- 1. Services not covered under the preventive care benefit may be covered under another portion of the medical benefit plan.
- 2. Generally, the cost of drugs, medications, vitamins, supplements, or over-the-counter items is not eligible as a preventive care benefit. However, certain outpatient prescription medications, tobacco cessation drugs and/or over the counter items, as required by PPACA, may be covered under the preventive benefit. For details, please refer to the member-specific pharmacy plan administrator.
- 3. An immunization is not covered if it does not meet company Vaccine Policy requirements for FDA labeling (including age and/or gender limitations) and if it does not have definitive ACIP recommendations published in the CDC's Morbidity and Mortality Weekly Report (MMWR).
- 4. Examinations, screenings, testing, or immunizations are not covered when:
 - a. required solely for the purposes of career, education, sports or camp, travel (including travel immunizations), employment, insurance, marriage or adoption, or
 - b. related to judicial or administrative proceedings or orders, or
 - c. conducted for purposes of medical research, or
 - d. required to obtain or maintain a license of any type.
- 5. Services that are investigational, experimental, unproven or not medically necessary are not covered. Please see applicable Medical Policies (EOC, SOB, etc.) for details.
- Breastfeeding equipment and supplies not listed in the Indications for Coverage section above. This includes, but is not limited to:
 - a. Manual breast pumps and all related equipment and supplies.
 - b. Hospital-grade breast pumps and all related equipment and supplies.
 - c. Equipment and supplies not listed in the Covered Breastfeeding Equipment section above, including but not limited to:
 - i. Batteries, battery-powered adaptors, and battery packs.
 - ii. Electrical power adapters for travel.
 - iii. Bottles which are not specific to breast pump operation. This includes the associated bottle nipples, caps and lids.
 - iv. Travel bags, and other similar travel or carrying accessories.
 - v. Breast pump cleaning supplies including soap, sprays, wipes, steam cleaning bags and other similar products.
 - vi. Baby weight scales.
 - vii. Garments or other products that allow hands-free pump operation.
 - viii. Breast milk storage bags, ice-packs, labels, labeling lids, and other similar products.
 - ix. Nursing bras, bra pads, breast shells, nipple shields, and other similar products.
 - x. Creams, ointments, and other products that relieve breastfeeding related symptoms or conditions of the breasts or nipples.

The benefits within this document are currently effective unless otherwise noted. Always refer to your Schedule of Benefits to understand if there are any costs associated with your preventive care benefits. In addition to the services listed, you may have additional preventive care benefits covered under your Ambetter plan that may or may not be covered at 100%. Check your Schedule of Benefits for details on these additional preventive care benefits.

^{**}Ambetter pays for breast cancer screening once a year starting at age 35. When administered as a preventive breast imaging screening, digital breast tomosynthesis (known as 3-D mammography) is considered a covered preventive benefit. Note: Diagnostic mammograms are covered, but not part of preventive care coverage. Please work with your provider, for additional information.

ADDITIONAL PREVENTIVE SERVICES DETAILS

This Coverage Determination Guideline provides assistance in interpreting Ambetter preventive care services. When deciding coverage, the member specific benefit plan document must be referenced. This document is supplemental to your benefit plan document (e.g. Evidence of Coverage (EOC) and Schedule of Benefits (SOB), Member Handbook) and should not be used to guarantee coverage. Providers must first identify member eligibility, any federal or state regulatory requirements, and the member specific benefit plan coverage prior to use of this Coverage Determination Guideline. Other Policies and Coverage Determination Guidelines may apply; members should refer back to the EOC for detailed coverage information, including the essential health benefit plan. Ambetter reserves the right, in its sole discretion, to modify its Policies and Guidelines as necessary This Coverage Determination Guideline is provided for informational purposes, your plan may not pay for all services and treatments in this guide. It does not constitute medical advice.

Note: Preventive services do not generally include services intended to treat an existing illness, injury, or condition. Benefits will be determined based on how the provider submits the bill. Claims must be submitted with the appropriate diagnosis and procedure code in order to be paid at the 100% benefit level. If during your preventive services visit you receive services to treat an existing illness, injury or condition, you may be required to pay a copay, deductible and/or coinsurance for those covered services.

This information is intended as a reference tool for your convenience and is not a guarantee of payment.

Ambetter from Sunshine Health is underwritten by Celtic Insurance Company. © 2022 Celtic Insurance Company. All rights reserved.

Statement of Non-Discrimination

Ambetter from Sunshine Health complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. Ambetter from Sunshine Health does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

Ambetter from Sunshine Health:

- Provides free aids and services to people with disabilities to communicate effectively with us, such as:
 - Qualified sign language interpreters
 - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- Provides free language services to people whose primary language is not English, such as:
 - Qualified interpreters
 - · Information written in other languages

If you need these services, contact Ambetter from Sunshine Health at 1-877-687-1169 (Relay FL 1-800-955-8770).

If you believe that Ambetter from Sunshine Health has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with: Sunshine Health Grievance & Appeals, PO Box 459087 Fort Lauderdale FL 33345-9087, 1-877-687-1169 (Relay Florida 1-800-955-8770), Fax, 1-866-534-5972. You can file a grievance by mail, fax, or email. If you need help filing a grievance, Ambetter from Sunshine Health is available to help you. You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights electronically through the Office for Civil Rights Complaint Portal, available at https://ocrportal.hhs.gov/ocr/portal/lobby.jsf, or by mail or phone at: U.S. Department of Health and Human Services, 200 Independence Avenue SW., Room 509F, HHH Building, Washington, DC 20201, 1-800-368-1019, 800-537-7697 (TDD).

Complaint forms are available at http://www.hhs.gov/ocr/office/file/index.html.



Spanish:	Si usted, o alguien a quien está ayudando, tiene preguntas acerca de Ambetter de Sunshine Health, tiene derecho a obtener ayuda e información en su idioma sin costo alguno. Para hablar con un intérprete, llame al 1-877-687-1169 (Relay Florida 1-800-955-8770).
French Creole:	Si oumenm, oubyen yon moun w ap ede, gen kesyon nou ta renmen poze sou Ambetter from Sunshine Health, ou gen tout dwa pou w jwenn èd ak enfòmasyon nan lang manman w san sa pa koute w anyen. Pou w pale avèk yon entèprèt, sonnen nimewo 1-877-687-1169 (Relay Florida 1-800-955-8770).
Vietnamese:	Nếu quý vị, hay người mà quý vị đang giúp đỡ, có câu hỏi về Ambetter from Sunshine Health, quý vị sẽ có quyền được giúp và có thêm thông tin bằng ngôn ngữ của mình miễn phí. Để nói chuyện với một thông dịch viên, xin gọi 1-877-687-1169 (Relay Florida 1-800-955-8770).
Portuguese:	Se você, ou alguém a quem você está ajudando, tem perguntas sobre o Ambetter from Sunshine Health, você tem o direito de obter ajuda e informação em seu idioma e sem custos. Para falar com um intérprete, ligue para 1-877-687-1169 (Relay Florida 1-800-955-8770).
Chinese:	如果您,或是您正在協助的對象,有關於 Ambetter from Sunshine Health 方面的問題,您有權利免費以您的母語得到幫助和訊息。如果要與一位翻譯員講話,請撥電話 1-877-687-1169 (Relay Florida 1-800-955-8770)。
French:	Si vous-même ou une personne que vous aidez avez des questions à propos d'Ambetter from Sunshine Health, vous avez le droit de bénéficier gratuitement d'aide et d'informations dans votre langue. Pour parler à un interprète, appelez le 1-877-687-1169 (Relay Florida 1-800-955-8770).
Tagalog:	Kung ikaw, o ang iyong tinutulangan, ay may mga katanungan tungkol sa Ambetter from Sunshine Health, may karapatan ka na makakuha nang tulong at impormasyon sa iyong wika ng walang gastos. Upang makausap ang isang tagasalin, tumawag sa 1-877-687-1169 (Relay Florida 1-800-955-8770).
Russian:	В случае возникновения у вас или у лица, которому вы помогаете, каких-либо вопросов о программе страхования Ambetter from Sunshine Health вы имеете право получить бесплатную помощь и информацию на своем родном языке. Чтобы поговорить с переводчиком, позвоните по телефону 1-877-687-1169 (Relay Florida 1-800-955-8770).
Arabic:	إذا كان لديك أو لدى شخص تساعده أسئلة حول Ambetter from Sunshine Health ، لديك الحق في الحصول على المساعدة والمعلومات الضرورية بلغتك من دون أية تكلفة. للتحدث مع مترجم اتصل بـ 1169-877-877 (Relay Florida 1-800-955-8770).
Italian:	Se lei, o una persona che lei sta aiutando, avesse domande su Ambetter from Sunshine Health, ha diritto a usufruire gratuitamente di assistenza e informazioni nella sua lingua. Per parlare con un interprete, chiami l'1-877-687-1169 (Relay Florida 1-800-955-8770).
German:	Falls Sie oder jemand, dem Sie helfen, Fragen zu Ambetter from Sunshine Health hat, haben Sie das Recht, kostenlose Hilfe und Informationen in Ihrer Sprache zu erhalten. Um mit einem Dolmetscher zu sprechen, rufen Sie bitte die Nummer 1-877-687-1169 (Relay Florida 1-800-955-8770) an.
Korean:	만약 귀하 또는 귀하가 돕고 있는 어떤 사람이 Ambetter from Sunshine Health 에 관해서 질문이 있다면 귀하는 그러한 도움과 정보를 귀하의 언어로 비용 부담없이 얻을 수 있는 권리가 있습니다. 그렇게 통역사와 얘기하기 위해서는 1-877-687-1169 (Relay Florida 1-800-955-8770) 로 전화하십시오.
Polish:	Jeżeli ty lub osoba, której pomagasz, macie pytania na temat planów za pośrednictwem Ambetter from Sunshine Health, macie prawo poprosić o bezpłatną pomoc i informacje w języku ojczystym. Aby skorzystać z pomocy tłumacza, zadzwoń pod numer 1-877-687-1169 (Relay Florida 1-800-955-8770).
Gujarati:	જે તમને અથવા તમે જેમની મદદ કરી રહ્યા હોય તેમને, Ambetter from Sunshine Health વિશે કોઈ પ્રશ્ન હોય તો તમને, કોઈ ખર્ય વિના તમારી ભાષામાં મદદ અને માહિતી પ્રાપ્ત કરવાનો અધિકાર છે. દુભાષિયા સાથે વાત કરવા માટે 1-877-687-1169 (Relay Florida 1-800-955-8770) ઉપર કૉલ કરો.
Thai:	หากท่านหรือผู้ที่ท่านให้ความช่วยเหลืออยู่ในขณะนี้มีคำถามเกี่ยวกับ Ambetter from Sunshine Health ท่านมีสิทธิ์ที่จะได้รับความช่วยเหลือและข้อมูลในภาษาของท่าน โดยไม่เสียค่าใช้จ่ายใด ๆ ทั้งสิ้น หากต้องการใช้บริการล่าม กรุณาโทรศัพท์ติดต่อที่หมายเลข 1-877-687-1169 (Relay Florida 1-800-955-8770).